


## Tolomeo suspension decentralized - Structure



IP20     

Dimmerable: +  -


### DESIGN BY

Michele De Lucchi, Giancarlo Fassina

### DESCRIPTION

Cantilevered arms in polished aluminium; joints in polished aluminium; diffuser in matt aluminium or in parchment paper or silk satin fabric or stainless steel ring. The code refers to the luminaire's body only

### TECHNICAL DRAWINGS



### FEATURES

|                      |            |                  |           |
|----------------------|------------|------------------|-----------|
| <b>Article Code:</b> | 0629000A   | <b>Material:</b> | Aluminium |
| <b>Colour:</b>       | Aluminium  | <b>Series:</b>   | Design    |
| <b>Installation:</b> | Suspension |                  |           |

### DIMENSIONS

|                                 |        |                              |        |
|---------------------------------|--------|------------------------------|--------|
| <b>Height:</b>                  | cm 80  | <b>Max Extension Length:</b> | cm 154 |
| <b>Max Height from ceiling:</b> | cm 181 |                              |        |

### NOT INCLUDED SOURCES

|                      |       |                               |       |
|----------------------|-------|-------------------------------|-------|
| <b>Category:</b>     | HALO  | <b>Color Rendering:</b>       | 1a    |
| <b>Number:</b>       | 1     | <b>Color temperature (K):</b> | 2900K |
| <b>Watt:</b>         | 150W  |                               |       |
| <b>Lbs:</b>          | Qt32  |                               |       |
| <b>Socket:</b>       | E27   |                               |       |
| <b>Duration (h):</b> | 2000h |                               |       |
| <b>Category:</b>     | HALO  | <b>Color Rendering:</b>       | 1a    |
| <b>Number:</b>       | 1     | <b>Color temperature (K):</b> | 2900K |
| <b>Watt:</b>         | 77W   |                               |       |
| <b>Lbs:</b>          | A60   |                               |       |
| <b>Socket:</b>       | E27   |                               |       |
| <b>Duration (h):</b> | 1000h |                               |       |

### ALTERNATIVE SOURCES

|                                      |        |
|--------------------------------------|--------|
| <b>Category:</b>                     | LED    |
| <b>Number:</b>                       | 1      |
| <b>Watt:</b>                         | 21W    |
| <b>Delivered lumens output (lm):</b> | 2452lm |
| <b>Type:</b>                         | 2      |
| <b>Socket:</b>                       | E27    |
| <b>Class:</b>                        | A      |
| <b>Category:</b>                     | LED    |
| <b>Number:</b>                       | 1      |
| <b>Watt:</b>                         | 8W     |
| <b>Delivered lumens output (lm):</b> | 1000lm |
| <b>Type:</b>                         | 2      |
| <b>Socket:</b>                       | E27    |
| <b>Class:</b>                        | A      |

### LUMINAIRE

|                 |            |             |       |
|-----------------|------------|-------------|-------|
| <b>Watt:</b>    | 77W - 150W | <b>CCT:</b> | 3000K |
| <b>Voltage:</b> | 220V-240V  |             |       |



**ACCESSORIES**

TOLOMEO MEGA  
DIFF.PERG.360  
0780020A



TOLOMEO  
SOSP.DEC.SOLO  
DIFF.METALLO  
0371050A



TOLOMEO  
SOSP.DEC.SOLO  
DIFF.PERGAMENA  
0372050A



TOLOMEO MEGA  
DIFF.RASO 360  
0781020A



TOLOMEO  
MEGA/DEC  
DIFFUSORE RASO  
D.240  
0781050A



TOLOMEO MEGA  
DIFF.PERG.320  
0780010A



TOLOMEO MEGA  
DIFF.RASO 320  
0781010A