

## PRODUCT DATA SHEET

### Talak Professional Table - Base


**DESIGN BY:**

Neil Poulton

**MATERIALS:**

technopolymer, steel, aluminum

**DESCRIPTION:**

Artemide introduces new versions of its bestsellers to keep up with the pace of LED technology development in terms of performance, amount, and quality of light. The new Talak Professional appliance has the same stem structure, which allows movement around the axis and vertically along its height; the protruding head's body is modified to adjust to technological evolution, as well as to meet functional requirements for better use and relation with the working space. The new head is in fact less intrusive, being as much as 15 cm shorter than in the original version. The smaller size ensures a reduced intrusion into the working space but, at the same time, its technological development makes it more prominent in terms of lighting: the emitted flow is almost triple compared to the classical version, with a minimum increase of power.

**SELECT**



**PRODUCT CODE**

0687510A

**Light emission**

IP20


**TECHNICAL DATA SHEET**
**FEATURES**

Product name:	Talak Professional Table - Base
Article Code:	0687510A
Colour:	White
Material:	technopolymer, steel, aluminum
Series:	Design
Environment:	Indoor

**OPTICS**

Emission:	Direct
-----------	--------

**DIMENSIONS**


Length:	cm 70.7
Height:	cm 71
Base Diameter:	cm 16.5

**LAMPS INCLUDED**

Category:	LED COB
Number:	1
Watt:	12 W
Color temperature (K):	3000 K
Class:	A

**LUMINAIR**

Watt:	12W
Voltage:	100-240V
Luminous Flux (lm):	745lm
CCT:	3000K
Efficiency:	79%
Efficacy:	62.08lm/W
CRI:	90
Dimmer Typology:	Microswitch Dimmer

**DIMENSIONS**

**COLOUR**




## PRODUCT DATA SHEET

### Talak Professional Table - Clamp



**DESIGN BY:**

Neil Poulton

**MATERIALS:**

technopolymer, steel, aluminum

**DESCRIPTION:**

Artemide introduces new versions of its bestsellers to keep up with the pace of LED technology development in terms of performance, amount, and quality of light. The new Talak Professional appliance has the same stem structure, which allows movement around the axis and vertically along its height; the protruding head's body is modified to adjust to technological evolution, as well as to meet functional requirements for better use and relation with the working space. The new head is in fact less intrusive, being as much as 15 cm shorter than in the original version. The smaller size ensures a reduced intrusion into the working space but, at the same time, its technological development makes it more prominent in terms of lighting: the emitted flow is almost triple compared to the classical version, with a minimum increase of power.

SELECT

LED

Clamp

White

PRODUCT CODE

0678510A

Light emission

IP20



TECHNICAL DATA SHEET

**FEATURES**

Product name: Talak Professional Table - Clamp  
 Article Code: 0678510A  
 Colour: White  
 Material: technopolymer, steel, aluminum  
 Series: Design  
 Environment: Indoor


**OPTICS**

Emission: Direct

**DIMENSIONS**

Length: cm 70.7  
 Height: cm 71

**DIMENSIONS**



**LAMPS INCLUDED**

Category: LED COB  
 Number: 1  
 Watt: 12 W  
 Color temperature (K): 3000 K  
 Class: A

**COLOUR**



**LUMINAIR**

Watt: 12W  
 Voltage: 100-240V  
 Luminous Flux (lm): 745lm  
 CCT: 3000K  
 Efficiency: 79%  
 Efficacy: 62.08lm/W  
 CRI: 90  
 Dimmer Typology: Microswitch Dimmer

