

SOFT EDGE 12

DESIGN BY ISKOS-BERLIN



Made possible by exploring innovative developments in moulded plywood techniques, Iskos-Berlin's Soft Edge chair blends strong curves with extreme lightness to create a three-dimensionality that is not normally possible with 2D plywood. The ultra-thin, soft-formed back and seat are free of sharp edges, embracing the body and providing human-centric comfort for constant movement. The chair features solid wood legs with light stackable qualities, making it suitable for a wide range of public and private environments – from classrooms and cafés to the home.

PRODUCT DETAILS

- / Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- / 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- / Variety of seat and base colours and finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.
- / Available with seat upholstery in selected fabrics and leathers.
- / Stackable up to 6 pcs. without upholstery.

HAY

MATERIAL

SEAT/BACK / Moulded plywood seat and back.
Top veneer in oak.

BASE / Solid oak legs.

COLOUR & FINISH

Please note that the colour codes are indicative.

SEAT, BACK AND BASE / Available in 9 different finishes.

- / Black stained oak (RAL 9005)
- / Dusty green stained oak (NCS S 6005 G20Y)
- / Fall red stained oak (NCS S 6030 R)
- / Hunter stained oak (NCS S 8010 B90G)
- / Soft black stained oak (RAL 9004)
- / Soft grey stained oak (NCS S 3500 N)
- / Matt lacquered oak
- / Clear lacquered oak
- / Smoked lacquered oak seat & back / lacquered oak base

CONSTRUCTION

SEAT AND BACK / 2D moulded plywood seat and back
mounted to the frame with rivets. Inner plywood in beech, top
veneer in oak.

BASE / in Ø16 mm steel tube. Stacking pad in polypropylene
mounted underneath the seat.

SEAT, BACK AND BASE FINISH



BLACK
STAINED OAK



DUSTY GREEN
STAINED OAK



FALL RED
STAINED OAK



HUNTER
STAINED OAK



SOFT BLACK
STAINED OAK



SOFT GREY
STAINED OAK



MATT
LACQUERED OAK




CLEAR
LACQUERED OAK



SMOKED LACQUERED
OAK SEAT & BACK /
LACQUERED OAK BASE

DIMENSIONS

WIDTH / 51,5 cm / 20.27"
 DEPTH / 52,5 cm / 20.66"
 HEIGHT / 79 cm / 31.10"
 SEAT HEIGHT / 47,5 cm / 18.70"
 SEAT DEPTH / 46 cm / 18.11"



OPTIONS



SEAT UPHOLSTERY / 10 mm foam.

LINKING DEVICE / Black plastic. The chair is premounted with brackets (black powdercoated steel) and linking device. The linking device cannot be retrofitted.

SOFT EDGE CHAIR TROLLEY / Black powdercoated steel. Rear wheels with brake. Suitable for transportation and storage. Max. 12 stacked chairs. Stacking is not possible on Soft Edge 12 with upholstery.

SOFT EDGE HANG UP BRACKETS LOW / Black powdercoated steel. Soft Edge Hang Up Bracket low is for AAT and CPH tables without stretchers along the tabletop edge.

SOFT EDGE HANG UP BRACKETS HIGH / Black powdercoated steel. Soft Edge Hang Up Bracket high is for T12 table with stretchers along the tabletop edge.





GLIDERS

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floorings which are not too sensitive.

FELT GLIDER / For wooden floors. Not for sensitive wooden floors like pine wood or painted floors. Here we recommend felt glider soft.

FELT GLIDER SOFT / For sensitive floors like soft wooden floors and painted floors etc.



DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care- and maintenance instructions and test certificates are available at hay.com.

TESTS

EN 16139:2013 / Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012 / American National Standard for Office Furnishings - Lounge and Public Seating - Tests.

SOFT EDGE 12 SEAT UPHOLSTERY

DESIGN BY ISKOS-BERLIN



FOAM

10 mm foam

COSY COLLECTION*

/ Bolgheri / DOT 1682
/ Fairway / Flamiber

FABRICS

Available in a large selection of standard fabrics and leathers. Other fabrics available upon request.

VELOUR FABRICS*

/ Lola / Ice (UK only)

STANDARD FABRICS BY KVADRAT

/ Remix / Fiord
/ Surface by HAY / Hallingdal
/ Steelcut / Canvas
/ Steelcut Trio / Compound
/ Melange Nap / Harald
/ Divina / Lila
/ Divina Melange / Coda
/ Divina MD / Balder

MAHARAM FABRIC*

/ Mode

ROMO FABRICS*

/ Ruskin / Olavi by HAY
/ Roden / Linara

STANDARD LEATHERS BY CAMO LEATHERS

/ California / Silk
/ Sierra

*Only available in colours selected by HAY.

OPTIONS

/ CMHR foam (fire retardant).
/ Linking device (Powdercoated steel bracket or plastic linking device in black). The chair is premounted with linking device. The linking device cannot be retrofitted.

NOTE

Stacking upholstered chairs may leave marks in the foam and fabric.

HAY